


## 396-5166Y1 Case 2150 - 750 Gallon Tank Mounting Instructions

**Planter Manufacturer:** 



Kit Number: 530-02-400750

Description: Case 2150 - 750 Gal Elliptical Tank Kit




Revised: 5/4/2022



## Parts List and Installation Dimensions 530-02-400750

## 750 Gallon Elliptical Tank Kit

| ITEM<br>NO. | PART NUMBER           | DESCRIPTION   | QTY. |
|-------------|-----------------------|---|------|
| 1           | 300-100108-5          | 5/8" x 1-1/2" Hex Head Bolt - G5  | 16   |
| 2           | 323-10                | 5/8" Flange Nut   | 16   |
| 3           | 330-10                | 5/8" Flat Washer  | 16   |
| 4           | 1380-1067             | 3/4" U-bolt Kit - fits 8" x 16" tube (8" opening) includes flat & lock washers, and nuts. | 4    |
| 5           | 421-2364Y1            | Elliptical Tank Cradle 750 Gallon   | 1    |
| 6           | 421-2424Y2            | 1775NT - 750 Gallon Tank Stand  | 2    |
| 7           | 727-01-HE0750-69-OS-W | Elliptical Tank - 750 Gal - White - Offset Sump   | 1    |





Page 2 © 2021-2022 SurePoint Ag Systems, Inc.



## Step by Step Instructions

1. Loosely mount pedestal 421-2424Y2 to the hitch using the hardware provided in kit 380-1067.





2. Loosely mount pedestal 421-2424Y2 clear of the gusset on the hitch using the hardware provided in kit 380-1067.

- Loosely mount cradle on both pedestals using eight (8) 5/8" x 1-1/2" hex head bolts, washers, and nuts. Repeat on opposite side.
- 4. Install tank with provided tank straps and tighten everything down.

Note: Tighten straps again after filling tank.

