




396-5435Y1

John Deere 1745 Tank

Mounting Instructions


Kit Number: 530-01-475050

Kit Description: John Deere 1745 Row Box Planter Dual 200 Gallon Tank Kit



Kit Number: 530-01-475075

Kit Description: John Deere 1745 CCS Planter Dual 200 Gallon Tank Kit








Parts List and Installation Dimensions

530-01-475050

Row Box Planter Dual 200 Gallon Tank Kit

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	300-080200-5	1/2" x 2" Hex Head Bolt - G5	8
2	300-080408-5	1/2" x 4-1/2" Hex Head Bolt - G5	8
3	323-08	1/2" Flange Nut	16
4	330-08	1/2" Flat Washer	16
5	380-1009	1/2" U-bolt Kit - fits 3" x 5" tube - (3" opening) includes flange nuts	4
6	420-4694Y1-BK	Tank Saddle Weld Assembly for 200 Gal Elliptical Tank	2
7	421-5075Y1-BK	JD 1745 Row Box Tank Mount Bracket	2
8	525-2055	2" Strap Kit for Tanks under 300 Gal	2
9	727-01-HE0200-41-Y	Elliptical Tank - 200 Gal - Yellow	1

Quantities shown are for 1 tank.



Step by Step Instructions


1. Loosely mount 421-5075Y1-BK to the frame, using four (4) 1/2" x 2" hex head bolts, washers, and nuts. Use the provided u-bolts, on opposite end.

(Repeat for second 421-5075Y1)


2. Using middle slots, loosely mount 420-4694Y1 to 421-5075Y1 using four (4) 1/2" x 4-1/2" hex head bolts, washers, and nuts.

(Repeat for second 420-4694Y1)

Step 1



Step 2




3. Finally, install tank in the saddles and fasten the tank strap mounting brackets, and tank straps. Check for clearance.

Note: Tighten straps again once the tanks have been filled.

4. Repeat steps 1-3 on opposite side of the implement for the 2nd tank.

Step 3








Parts List and Installation Dimensions

530-01-475075

CCS Planter Dual 200 Gallon Tank Kit

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	380-1082	3/4" U-bolt Kit - fits 5" x3" tube- (5" opening) includes flat & lock washer, nut	4
2	400-5080Y1-BK	Cutaway Tank Mount Bracket - Weldment	2
3	525-2055	2" Strap Kit for Tanks 300 Gal & under	2
4	727-08-CAW0200-24-Y	Sidemount Cutaway Tank - 200 Gal Yellow	1

Quantities shown are for 1 tank.





Step by Step Instructions

1. Loosely mount 420-5080Y1-BK to the frame, using the provided u-bolts.

(Repeat for second 420-5080Y1)

2. Install tank in saddles and fasten the tank strap mounting brackets, and tank straps. Check for clearance.

Note: Tighten straps again once the tanks have been filled.

3. Repeat steps 1 and 2 on opposite side of the implement for 2nd tank.

