



396-3094Y1

John Deere Planters


Push Button Switch Bracket

Instructions for Short and Long


Parallel Linkage Bars

John Deere

Short Parallel Linkage Bar
Kit: 501-100520




Long Parallel Linkage Bar
Kit: 501-100525





Kit: 501-100520

Parts List




ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	400-2754Y1	On/Off Button Bracket for Short Parallel Arm Linkage Config	1
2	705-21-541	Momentary Switch - Normally On (Push to Off)	1
3	300-060200-5	3/8" x 2" Bolt G5	1
4	323-06	3/8" Flange Nut	1



Kit: 501-100525


Parts List




ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	400-2755Y1	On/Off Button Bracket for Long Parallel Arm Linkage Config	1
2	705-21-541	Momentary Switch - Normally On (Push to Off)	1
3	300-060200-5	3/8" x 2" Bolt G5	1
4	323-06	3/8" Flange Nut	1



Step by Step Instructions for Installing Switch Button Brackets




**Short Linkage Button
Bracket (2754Y1)**



**Long Linkage Button
Bracket (2755Y1)**

1. Use Bracket 400-2754Y1 for Short Parallel Linkage Bar Planter Setups. Use Bracket 400-2755Y1 Brackets for Long Parallel Linkage Bar Planter Setups.
2. Insert Button into Hole Opening of Bracket as shown in pictures above.
3. Mount Bracket using 3/8"X2" Bolt and Flange Nut to Mounting Hole Location shown in picture below.



**Mounting Bolt Hole Location for
Short and Long Parallel Linkage
Button Brackets (Short Linkage
Bars Shown, Long Linkage
Similar)**

Row Unit
(Illustration Purposes Only)