



396-2894Y1

John Deere 2410C

15' Main Frame/40'-0" or 42'-3"

12" Row Spacing


400 & 500 Gallon Elliptical Tank

Mounting Instructions




JOHN DEERE

Kit Number: 528-01-450150 (400 Gallon Tank)



Kit Number: 528-01-450160 (500 Gallon Tank)






Parts List and Exploded View

Kit Number: 528-01-450150 (400 Gallon Tank)

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	420-2835Y1	JD 2410C - 400/500 Gal Tank Stand	2
2	421-1333A2	400 Gallon Elliptical Cradle	1
3	727-01-HE00400	Elliptical Tank - 400 Gallon	1
4	380-1033	3/4" x 4" x 8-1/2" Square Bend U-Bolt	8
5	300-100800-5	5/8" x 8" Bolt G5	10
6	323-10	5/8" Flange Nut	10
7	525-3000	3" Tank Strap Kit for 400 - 1000 gal tank (one strap per kit)	2






Parts List and Exploded View


Kit Number: 528-01-450160 (500 Gallon Tank)

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	420-2835Y1	JD 2410C - 400/500 Gal Tank Stand	2
2	421-1329A2	500 Gallon Elliptical Cradle	1
3	727-01-HE00500SYSS	Elliptical Tank - 500 Gallon - Yellow	1
4	380-1033	3/4" x 4" x 8-1/2" Square Bend U-Bolt	8
5	300-100800-5	5/8" x 8" HCS G5	10
6	323-10	5/8" Flange Nut	10
7	525-3000	3" Tank Strap Kit for 400 - 1000 gal tank (one strap per kit)	2





Step by Step Instructions



1. Mount the Front Tank Stand (420-2835Y1) with the supplied Square Bend U-bolts (380-1033) as shown in picture above. Refer to 'Detail A' below for approximate locations of where Tank Stand needs to be mounted per specific Tank Kit. **Make sure the slotted holes on the top of the Tank Stand are toward the Rear of the Implement.** Do not fully tighten U-bolts to allow for adjustment in Step 3.
2. Mount the Rear Tank Stand (420-2835Y1) with the supplied Square Bend U-bolts (380-1033) as shown in picture above. Refer to 'Detail A' below for approximate locations of where Tank Stand needs to be mounted per specific Tank Kit. **Make sure the slotted holes on the top of the Tank Stand are toward the Front of the Implement.** Do not fully tighten U-bolts to allow for adjustment in Step 3.
3. Mount the Tank Cradle 421-1333A2 (400 Gallon) or the 421-1329A2 (500 Gallon) to the Tank Stands as shown in picture above with the provided 5/8" Bolts (300-100108-5) and Flange Nuts (323-10). Fully tighten all Nuts and U-bolts.

4. Insert the tank into the Cradle and fasten it to the Cradle using the provided 3" Strap Kits (525-3000). The Tank Straps will possibly need to be re-tightened after re-filling the tank due to expansion and contraction.

