



396-2872Y1


John Deere 2510H

Nutrient Applicator

300 Gallon Oval Tank

Mounting Instructions

Kit Number: 528-01-050150






Parts List and Exploded View


528-01-050150

| ITEM NO. | PART NUMBER | DESCRIPTION | QTY. |
|----------|------------------|---|------|
| 1 | 727-08-OT0300-31 | 300 Gallon Oval Tank OT0300-31 (STD. Fittings 3/4 and 1 1/4") | 1 |
| 2 | 421-2763Y1 | 300 Gallon Oval Cradle | 1 |
| 3 | 420-2769Y1 | JD 2510H Rear Tank Stand - 300 Gallon Oval Tank Cradle | 1 |
| 4 | 420-2766Y1 | JD 2510H Front Tank Stand - 300 Gallon Oval Tank Cradle | 1 |
| 5 | 380-1041 | 5/8" x 4" x 7-1/2" Square Bend U-Bolt | 8 |
| 6 | 300-100108-5 | 5/8" x 1-1/2" Bolt G5 | 12 |
| 7 | 323-10 | 5/8" Flange Nut | 12 |
| 8 | 525-2055 | 2" Strap Kit for Tanks under 300 Gallon | 1 |






Step by Step Instructions



1. Mount the Front Tank Stand (420-2766Y1) with the supplied Square Bend U-bolts (380-1041) as shown in picture above. Fully tighten U-bolts.
2. Mount the Rear Tank Stand (420-2769Y1) with the supplied Square Bend U-bolts (380-1041) as shown in picture above. Do not fully tighten U-bolts to allow for adjustment when mounting the Tank Cradle in Step 3.



3. Mount the Tank Cradle (421-2763Y1) to the Tank Stands as shown in picture above with the provided 5/8" Bolts (300-100108-5) and Flange Nuts (323-10). Fully tighten all Nuts and U-bolts.
4. Insert the tank into the Cradle and fasten it to the Cradle using the 2" Strap Kit (525-2055). The Tank Straps will possibly need to be re-tightened after re-filling the tank due to expansion and contraction.