




# 396-5785Y1

## John Deere DR (16R/18R) Vertical Fold (70bu CCS) Pump Mount Installation Instructions

Planter Manufacturer: **JOHN DEERE**

Kit Number: 515-03-200605




Kit Description: John Deere DR (16R/18R) Vertical Fold (70bu CCS)  
Pump Mounting Kit





# Parts List and Exploded View

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	410-5777Y1-BK	John Deere DR16 Pump Mount - Toolbar Mount	1
2	400-5605Y1-BK	Reversible Pump Mounting Bracket - Bent Mount Plate	2
3	380-1016	1/2" U-Bolt Kit - fits 7" x 5" tube	2
4	300-080108-5	1/2" x 1-1/2" Hex Head Bolt - G5	4
5	300-060400-5	3/8" x 4" Hex Head Bolt - G5	2
6	330-08	1/2" Flat Washer	4
7	330-06	3/8" Flat Washer	2
8	323-08	1/2" Flange Nut	4
9	323-06	3/8" Flange Nut	2



# Step by Step Instructions

1. Mount the 410-5777Y1 bracket to the rear CCS support leg in the location shown below using the provided U-Bolts. You can mount the bracket on either side of the planter, it is your choice based on your application.  
**\*This kit only works on planters with 70bu CCS dual hoppers.**
2. Mount the 400-5605Y1 brackets to the main bracket using the provided 3/8" hardware. You can mount the 5605Y1 brackets in any of the mounting holes provided. Be sure to use 2 mounting holes so the bracket will have intended effect. Tighten 3/8" hardware to secure the brackets.
3. Mount pump to the 5605Y1 brackets using the provided 1/2" hardware. The pump should be mounted with the hydraulic block towards the rear of the planter for best clearance.
4. Once pump is in place and clear of all obstructions, tighten U-Bolts and 1/2" pump hardware.
5. If you have a second pump, mount bracket on the opposite CCS support leg and repeat the steps above.

